

SF|ZL | Strain relief plates

pluggable on 35 mm top hat rails



The strain relief plate SF|ZL is used for assembly on 35 mm top hat DIN rails. It can be used for strain relief of cables and conduits.

The SF|ZL range is based upon the [strain relief plate ZL](#), which is mounted on snap-in mounting feet for 35 mm top hat rails.


DNV


RINA


NFPA 130
STANDARD


HL3
EN 45545-2


EN 61973


UV
ISO 4892-2A


ECOLAB
certified


RoHS
compliant


REACH
COMPLIANCE


Made in
Germany

Specifications


Material	Polyamide Snap foot: Spring steel
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 140 C°
Properties	silicone free, halogen free
Mounting options	Snap-in

Advantages & benefits

- Strain relief according to EN 62444
- Fast and easy mounting
- Cost-effective solution
- High cable density
- Versatile utilisation


Product types & sizes

SF|ZL 39




Part No.	32351	Mounting	11,4 mm
EAN	4251269301	height	
	247	No. of teeth	3
Package quantity	10		
For max. no. of	3		
cables			
Length	38,5 mm		
Width	51,7 mm		
Height	16 mm		

SF|ZL 60




Part No.	32352	Mounting	11,4 mm
EAN	4251269301	height	
	254	No. of teeth	4
Package	10		
quantity			
For max. no. of	4		
cables			
Length	59,5 mm		
Width	51,7 mm		
Height	16 mm		

SF|ZL 70




Part No.	32353	Mounting	11,4 mm
EAN	4251269301	height	
	261	No. of teeth	5
Package	10		
quantity			
For max. no. of	5		
cables			
Length	69,1 mm		
Width	51,7 mm		
Height	16 mm		

SF|ZL 87




Part No.	32354	Mounting	11,4 mm
EAN	4251269301	height	
	278	No. of teeth	6
Package	10		
quantity			
For max. no. of	6		
cables			
Length	86,5 mm		
Width	51,7 mm		
Height	16 mm		

SF|ZL 103




Part No.	32355	Mounting	11,4 mm
EAN	4251269301	height	
	285	No. of teeth	7
Package quantity	10		
For max. no. of cables	7		
Length	102,5 mm		
Width	51,7 mm		
Height	16 mm		

SF|ZL 121




Part No.	32356	Mounting	11,4 mm
EAN	4251269301	height	
	292	No. of teeth	8
Package quantity	10		
For max. no. of cables	8		
Length	121 mm		
Width	51,7 mm		
Height	16 mm		

SF|ZL 140



Part No.	32357	Mounting	11,4 mm
EAN	4251269301	height	
	308	No. of teeth	9
Package quantity	10		
For max. no. of cables	9		
Length	139,5 mm		
Width	51,7 mm		
Height	16 mm		



Part No.	32358	Mounting	11,4 mm
EAN	4251269301	height	
	315	No. of teeth	12
Package	10		
quantity			
For max. no. of	12		
cables			
Length	180 mm		
Width	51,7 mm		
Height	16 mm		