

CONFIX™ SH | 10000 00

CONFIX™ WST 000 000 00 0000



CONFIX™ SH 000 000 0000 00000 00000.


000 000 00 000 00000.



00 0 00

	00000
	UL94-V2
	-40 C° to 140 C°
	000 00, 00000
00 00	00 000

00 00 0 00



EAN	31300	00 0 0	1
	4251269300	000 00	4,5 mm
	134		
	10		
	20 mm		
	18 mm		
	21 mm		
	NW 10		

EAN

31310

1

4251269300

11/11

4,5 mm

141


10

20 mm

24 mm

26 mm

NW 14



EAN

31315

1

4251269322

10/10

6,5 mm

464


10

20 mm

30 mm

35 mm

NW 16



EAN

31320



1

4251269300



5,5 mm

158

10

20 mm

35 mm

35 mm


NW 20



EAN

31330 □□ □ □
4251269300 □□□ □□
165
10
20 mm
42 mm
44 mm
NW 23


1
5,5 mm



EAN

31335 □□ □ □
4251269319 □□□ □□
068
10
20 mm
48 mm
48,5 mm
NW 29

1
5,5 mm



EAN

31340 □□ □ □
4251269300 □□□ □□
172
10
20 mm
55 mm
56,5 mm
NW 37

1
7,1 mm

EAN

31350

□□ □□

1

4251269300

□□□ □□

7,1 mm

189


10

20 mm

67 mm

68 mm

NW 45



EAN

31360

□□ □□

1

4251269300

□□□ □□

7,1 mm

196


10

20 mm

100 mm

101 mm

NW 70



icotek[®]
smart cable management