

--	--	--	--	--	--





☐ ☐ ☐ ☐ ☐

- 00 00 00
- 00 00 가함
- 000 000 00 가함
- 00, 0000 0 0 000 00 00 0000
- 000 00
- 0000 000000 000 00

	UL94-V0, 0.5mm
	-20 C° to 90 C°
	0.5mm, 0.5mm
0.5mm	0.5mm, 0.5mm

□□ □□ □ □□






EAN

51522.002 □□ □□
425126932070 □□ □ □
5 □□□ □□
10
147 mm
58 mm
10 mm
10 mm

112 × 36 mm
4
5,8 mm

□□ □□




EAN

51521 □□ □□
425126931659 □□ □ □
3 □□□ □□
10
120 mm
58 mm
10 mm
10 mm

86 × 36 mm
4
5,8 mm

□□ □□



EAN

51521.002 □□ □□
425126932069 □□ □ □
9 □□□ □□
10
120 mm
58 mm
10 mm
10 mm

86 × 36 mm
4
5,8 mm

□□ □□




EAN

51520
425126931658
6
10
100 mm
58 mm
10 mm
10 mm

□□ □□□
□□ □ □
□□□ □□

65 × 36 mm
4
5,8 mm

□□ □□



EAN

51520.002
425126932068
2
10
100 mm
58 mm
10 mm
10 mm

□□ □□□
□□ □ □
□□□ □□

65 × 36 mm
4
5,8 mm

□□ □□